

/ ARX® 20 Land remote controlled weapon station

Nexter Systems introduces ARX®20 land remote controlled weapon station. In comparison with machine gun mounts, ARX®20 offers superior firepower, range and terminal effectiveness while ensuring full protection of the crew.









The 20mm cannon superior firepower

- Provides stand-offs against heavily gunned asymmetric threats (out of effective range of HMG)
- Immediate stopping power
- Destroys light armoured vehicles (Level STANAG 4)
- Available version:
- 20M621 (20mmx102 NATO standard)
- A longer effective range (50% higher than the 12,7x99mm)

The 20mm ammunition efficiency

- Firing explosive incendiary ammunition with high terminal effect
- Superior Armour Piercing capacity
- Easier and faster target neutralisation at longer firing range with reduced ammunition consumption (compared to Heavy Machine Gun)

Complete operability

- Well suited for security missions and urban combat
- Day/night observation over 360°
- Observation and fire on the move (gyro-stabilised station)
- Remotely-operated (crew protection)
- Firing waste disposal for 20mm and 7.62mm ammunition

Easy integration on any carrier

- Reduced weight and compactness. Low mechanical constraints on the carrier. No intrusion into chassis
- Designed to be integrated on different types of carriers, including light 4x4 vehicles
- Robot

/ ARX® 20 features and specifications

	ARX [®] 20 M 621
Canon	20M 621
Ammunition	20x102 NATO standard M50 US or PGU type
Average Firing rate	750 rounds/mn
Ammunition stowage	100 or 200
Total weight (Ready to fire)	< 300kg
Average recoil force	250daN
Slewing rate	>60°/s
Traverse	N x 360°
Elevation	-15°/+60°
Aiming & laying	Gyro-stabilised
Power supply	28V DC
Sighting	- Dual field Colour Camera Day /IR Dual lens Night uncooled - Laser Rangefinder
Options	 7.62mm Machine Gun (300 rounds) Smoke dischargers GALIX Autotracking Fire detection and localisation system Firing waste disposal Gunshot Detection System (GDS)







KNDS

KNDS France

13 route de la Minière 78034 Versailles Cedex France Tél. +33 (1) 30 97 37 37 www.knds.com

Unless otherwise indicated, all products are registered trademarks of KNDS France.
Property of KNDS. All rights reserved.
K2V-004-EN-06/2024